

CITY OF BELMONT

**RALSTON AVENUE SANITARY SEWER MAIN REPLACEMENT PROJECT
(BETWEEN NOTRE DAME AVENUE AND SOUTH ROAD)**

CITY CONTRACT NUMBER 2014-526

ADDENDUM NUMBER 1 – DATED July 22, 2014

Acknowledge receipt (below). Fax acknowledgement to (650) 593-8394. This signed Addendum shall accompany the Bid.

Company Name Date

Notice is hereby given to prospective bidders that the Plans and Specifications for the subject project are modified as set forth in the Addendum Number 1.

This Addendum shall be attached to, and form a part of, the Plans and Specifications for the construction of the **Ralston Avenue Sanitary Sewer Main Replacement Project (between Notre Dame Avenue and South Road), City Contract Number 2014-526**, on which to bid. A conformed set of plans and specifications will be issued after award of the contract.


TECHNICAL SPECIFICATION 01 - BY-PASS PUMPING

- Section 2.1-A
The contractor shall use High Density Polyethylene (HDPE) or flexible piping as approved by the City. All piping shall have a minimum pressure rating of one hundred ten (110) psi, per these Specifications or as approved by the Engineer.
- Section 2.1-B.2
Dimensions Ratios: The minimum wall thickness of the polyethylene pipe shall be SDR 15.5 throughout or as approved by the Engineer, based on a working pressure of 110 psi.

TECHNICAL SPECIFICATION 04 - HIGH-DENSITY POLYETHYLENE PIPE

- PIPING MATERIALS
Dimensions of pipe and fittings shall be in accordance with ASTM F 714. The pipe and fittings shall be SDR 15.5 or as approved by the Engineer, with a minimum pressure rating of 110 psi at 73.4°F.

Acknowledgement of Receipt of this Addendum to be submitted with the bid proposal.


Bozhena Palatnik, PE
Associate Civil Engineer
City of Belmont
(650) 595-7463